



 **Kid-Man**

YOUR BEST PARTNER IN WIDE RANGE OF DISABILITY, REHABILITATION AND NURSING PRODUCTS



## WHAT DO WE OFFER?



Personal account



24/7 self service




Products in stock

Kid-Man® is a property of UAB Kasko Group registered at the European Union Intellectual Property Office. All rights reserved. ©2026 UAB Kasko Group.

The colours of the actual product may vary slightly from the product shown.  
Last update 2026-06-04.





# MOBILITY

---



## **LIGHTWEIGHT WHEELCHAIR**


### **LIGHTMAN START**


04-030-2 pneumatic rear wheel

04-030-3 solid rear wheel



\* Available to choose between pneumatic and solid rear wheels





61 cm

20x4,5 cm

47-52 cm

34-45 cm

41 cm

Code				
04-030-2/36 04-030-3/36	56 cm	36 cm	31 cm	15 kg
04-030-2/39 04-030-3/39	59 cm	39 cm	31 cm	15,2 kg
04-030-2/42 04-030-3/42	62 cm	42 cm	31 cm	15,4 kg
04-030-2/45 04-030-3/45	65 cm	45 cm	31 cm	15,6 kg
04-030-2/48 04-030-3/48	68 cm	48 cm	31 cm	15,8 kg
04-030-2/51 04-030-3/51	71 cm	51 cm	31 cm	16,0 kg
04-030-2/54 04-030-3/54	74 cm	54 cm	31 cm	16,2 kg



## LIGHTWEIGHT WHEELCHAIR

### LIGHTMAN START PLUS





04-035-3





**Al**  
Aluminium



8

 125 kg	 90-100 cm	 115 cm	 44 cm
---	--	---	--



Code				
04-035-3/39	59 cm	39 cm	34 cm	15,7 kg
04-035-3/42	62 cm	42 cm	34 cm	15,9 kg
04-035-3/45	65 cm	45 cm	34 cm	16,1 kg
04-035-3/48	68 cm	48 cm	34 cm	16,3 kg
04-035-3/51	71 cm	51 cm	34 cm	16,5 kg



## **LIGHTWEIGHT WHEELCHAIR**

### **LIGHTMAN COMFORT PLUS**





04-045-2






**Al**  
Aluminium



10

 125 kg	 100-107 cm	 106 cm	 41-46 cm
---	---	---	---







Code				
04-045-2/41	63 cm	41 cm	40 cm	18,0 kg
04-045-2/43	65 cm	43 cm	40 cm	18,2 kg
04-045-2/46	68 cm	46 cm	40 cm	18,4 kg
04-045-2/48	70 cm	48 cm	40 cm	18,6 kg
04-045-2/51	73 cm	51 cm	40 cm	18,8 kg





**BARIATRIC WHEELCHAIR**  
**LIGHTMAN COMFORT PLUS XL**  
04-065-3



12

 <p>Max. kg</p>			
250 kg	97.5 cm	104.5 cm	50 cm










Code				 Kg
04-065-3/51	83 cm	51 cm	38 cm	27.1 kg
04-065-3/53	85 cm	53 cm	38 cm	27.3 kg
04-065-3/56	87 cm	56 cm	38 cm	27.5 kg
04-065-3/58	89 cm	58 cm	38 cm	27.7 kg
04-065-3/61	91 cm	61 cm	38 cm	27.9 kg
04-065-3/66	93 cm	66 cm	38 cm	28.1 kg
04-065-3/71	95 cm	71 cm	38 cm	28.3 kg
04-065-3/76	97 cm	76 cm	38 cm	28.5 kg



**TRANSIT WHEELCHAIR**  
**LIGHTMAN TRAVEL**  
04-018-2



 Max. kg			
120 kg	93 cm	105 cm	45 cm



Code					
04-018-2/38	56 cm	38 cm	32 cm	13,4 kg	
04-018-2/41	59 cm	41 cm	32 cm	13,6 kg	
04-018-2/43	61 cm	43 cm	32 cm	13,8 kg	
04-018-2/46	64 cm	46 cm	32 cm	14 kg	
04-018-2/48	66 cm	48 cm	32 cm	14,2 kg	
04-018-2/51	69 cm	51 cm	32 cm	14,4 kg	



## **STANDART WHEELCHAIR**


### **STEELMAN START**



04-020-2 pneumatic rear wheel

04-020-3 solid rear wheel



\* Available to choose between pneumatic and solid rear wheels





Code				
04-020-2/36 04-020-3/36	54 cm	36 cm	26 cm	17,4 kg
04-020-2/38 04-020-3/38	56 cm	38 cm	26 cm	17,5 kg
04-020-2/41 04-020-3/41	59 cm	41 cm	26 cm	17,6 kg
04-020-2/43 04-020-3/43	61 cm	43 cm	26 cm	17,7 kg
04-020-2/46 04-020-3/46	64 cm	46 cm	26 cm	17,9 kg
04-020-2/48 04-020-3/48	66 cm	48 cm	26 cm	18 kg




## **BUDGET WHEELCHAIR**


**STEELMAN EKO**

04-019/46




18






61 cm



20x5 cm



50 cm



26-39 cm



41 cm

Code				
04-019/46	65 cm	46 cm	26 cm	18 kg




## HEAVY DUTY WHEELCHAIR


STEELMAN XL

04-010B



20





Code				
04-010B/51	71 cm	51 cm	40 cm	26,2 kg
04-010B/55	75 cm	55 cm	40 cm	26,7 kg







## **MULTIFUNCTIONAL WHEELCHAIR**


**STEELMAN SUPERB**




04-055-2



22

 <p>Max. kg</p>	 <p>106cm</p>	 <p>109 cm</p>	 <p>Kg</p>
135 kg	106cm	109 cm	43 kg




Code			 Kg
04-055-2/39	61 cm	44-49 cm	41,3 kg
04-055-2/44	66 cm	44-49 cm	43,3 kg
04-055-2/49	71 cm	44-49 cm	45,3 kg




**TRANSIT WHEELCHAIR**  
**STEELMAN TRAVEL**  
04-008B-3



24





Code				
04-008B-3/38	56 cm	38 cm	26 cm	15,0 kg
04-008B-3/41	59 cm	41 cm	26 cm	15,2 kg
04-008B-3/43	61 cm	43 cm	26 cm	15,4 kg
04-008B-3/46	64 cm	46 cm	26 cm	15,6 kg
04-008B-3/48	66 cm	48 cm	26 cm	15,8 kg



## WHEELCHAIR CUSHION FOAM

C-01




C-02



C-01



C-02

Code			
C-01/38x41   C-02/38x41	38 cm	41 cm	5 cm
C-01/41x41   C-02/41x41	41 cm	41 cm	5 cm
C-01/43x41   C-02/43x41	43 cm	41 cm	5 cm
C-01/46x41   C-02/46x41	46 cm	41 cm	5 cm
C-01/48x41   C-02/48x41	48 cm	41 cm	5 cm
C-01/51x41   C-02/51x41	51 cm	41 cm	5 cm



## WHEELCHAIR CUSHION FOAM

C4




Code			
C4/38X38X10	38 cm	38 cm	10 cm
C4/38X38X5	38 cm	38 cm	5 cm
C4/38X43X10	38 cm	43 cm	10 cm
C4/38X43X5	38 cm	43 cm	5 cm
C4/43X43X10	43 cm	43 cm	10 cm
C4/43X43X5	43 cm	43 cm	5 cm
C4/43X47X10	43 cm	47 cm	10 cm
C4/43X47X5	43 cm	47 cm	5 cm
C4/47X47X10	47 cm	47 cm	10 cm



## TRANSFER BOARD





**GRIP**

ALL03GRIP




28

Code				
GRIP	77 cm	32,5 cm	1,2 kg	150 kg





## RAMP FOR WHEELCHAIR RAMP



Code				
RAMP60	60 cm	70 cm	4,5 kg	275 kg
RAMP90	90 cm	70 cm	6,7 kg	275 kg
RAMP120	120 cm	70 cm	8,9 kg	275 kg
RAMP150	150 cm	70 cm	11,3 kg	275 kg
RAMP180	180 cm	70 cm	13,7 kg	275 kg







## 4 WHEEL ROLLATOR

**MEGO**

01-3540



 <p>Max. kg</p>	 <p>Kg</p>	 <p>82-99 cm</p>	 <p>65 cm</p>
135 kg	9,5 kg	82-99 cm	65 cm



## 4 WHEEL ROLLATOR

FARGO





01-3520



**AI**  
Aluminium



32

 <p>Max. kg</p>	 <p>Kg</p>		
135 kg	8,3 kg	79-96 cm	65 cm







## 4 WHEEL ROLLATOR

**GIGAS**

01-3530



 <p>Max. kg</p>	 <p>Kg</p>		
150 kg	8,7 kg	80,5-93 cm	65 cm







### **3 WHEEL ROLLATOR WITH BAG**

02-5041C



34

 <p>Max. kg</p>	 <p>Kg</p>		
120 kg	8,0 kg	82-94 cm	57 cm



## 4 WHEEL ROLLATOR

04-4200F



130 kg



9,8 kg



71-98 cm



60 cm



## WALKER WITH TABLE

MUVI  
MUVI100




36



130 kg



11,5 kg



79-125 cm



62 cm







## WALKER WITH TABLE

MUVI100S



FLAT-PACKED

 <p>Max. kg</p>	 <p>Kg</p>		
130 kg	11,5 kg	79-125 cm	62 cm







## HANDCART WITH SEAT

01-3511



38

 100 kg	 5,6 kg	 74,5-95 cm	 38 cm
---	---	---	--



## WALKING FRAME WITH WHEELS

01-3016W5



<p>Max. kg</p>	<p>Kg</p>	<p>81-99 cm</p>	<p>50 cm</p>
130 kg	2,9 kg		



## RECIPROCATING WALKING FRAME

01-3213



**AI**  
Aluminium



40



100 kg



2,5 kg



81-99 cm




47 cm



## WALKING FRAME, TWO SECTIONS

01-3900




**AI**  
Aluminium



120 kg



2,7 kg



80-99 cm



53 cm



## WALKING FRAME

01-3203



**Al**  
Aluminium



130 kg



2,7 kg



81-99 cm








47 cm



## PEDALLER

01-5720



 100 kg	 2,2 kg	 26 cm	 41,5 cm
---	---	--	--



## ALUMINIUM UNDERARM CRUTCH




01-2003NE , 01-2002NE , 01-2001NE



**AI**  
Aluminium



44

 120 kg	 0,7-0,8 kg		01-2003NE A: 93-113 cm
			01-2002NE A: 114-134 cm
			01-2001NE A: 135-155 cm



## ELBOW CRUTCH, WITH SOFT HANDLE

220DSK



**Al**  
Aluminium



 140 kg	 0,55 kg	 A	<table border="1"><tr><td>220DSK/M</td><td>A: 76-96 cm</td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table>	220DSK/M	A: 76-96 cm				
220DSK/M	A: 76-96 cm								



## ELBOW CRUTCH

220DK/S , 220DK/M , 220DK/L



**AI**  
Aluminium



46



140 kg



0,55 kg



220DK/S	A: 50-70 cm
220DK/M	A: 76-96 cm
220DK/L	A: 90-110 cm



## ELBOW CRUTCH, WITH SOFT HANDLE

01-2040S , 01-2040M , 01-2040L



 100 kg	 0,5 kg	 A	01-2040S A: 48-72
			01-2040M A: 68-92
			01-2040L A: 88-112



## ELBOW CRUTCH

220DKBI , 220DKTUE , 220DKAu

220DKBI

220DKTUE

220DKAu



**Al**  
Aluminium



48



140 kg



0,55 kg



220DKBI A: 76-96 cm

220DKTUE A: 76-96 cm

220DKAu A: 76-96 cm



## CHILDREN'S ELBOW CRUTCH

241DSKBI , 241DSKRo

241DSKBI

241DSKRo



Max.  
kg

100 kg



Kg

0,45 kg



220DSKBI	A: 57-75 cm
241DSKRo	A: 57-75 cm



## ALUMINIUM WALKING STICK, WITH SOFT HANDLE

01-2332



**Al**  
Aluminium



50




100 kg



0,3 kg



74-97 cm



10



## ALUMINIUM WALKING STICK

01-2324 , 01-2331 , 01-2300HD

01-2324



01-2331



01-2300HD



Wooden  
handle

Plastic  
handle



Code	Max. kg	Kg	Height	Adjustable Positions
01-2324	100 kg	0,35 kg	74,5-97,5 cm	10
01-2331	100 kg	0,3 kg	74,5-97,5 cm	9
01-2300HD	225 kg	0,6 kg	79-102 cm	10



## ALUMINIUM WALKING STICK

685MBI , 685STGr , 685STBr

685MBI



685STGr



685STBr



Code	Max. kg	Kg	Height	Adjustable
685MBI	100 kg	0,45 kg	74-94 cm	9
685STGr	100 kg	0,45 kg	74-94 cm	9
685STBr	100 kg	0,45 kg	74-94 cm	9



## ALUMINIUM WALKING STICK, LEFT & RIGHT HANDED

695(L/R)MBI , 695 (L/R) STBr , 695 (L/R) STGr



Code	Max. kg	Kg	Height	Adjustable
695LMBI	130 kg	0,45 kg	74-94 cm	9
695LMBro	130 kg	0,45 kg	74-94 cm	9
695LSTGr	130 kg	0,45 kg	74-94 cm	9



## TRIPOD AND QUAD CANE

01-7782C , 01-2620







01-7782C



01-2620

**Al**  
Aluminium




Code	 Max. kg	 Kg		
01-7782C	100 kg	1,2 kg	76,2-101,6 cm	11
01-2620	100 kg	1,36 kg	76,2-101,6 cm	11



## ALUMINIUM WALKING STICK

05-YFLED , 01-2352



05-YFLED







01-2352



**Al**  
Aluminium



Code	 Max. kg	 Kg		
05-YFLED	100 kg	0,35 kg	73-95 cm	9
01-2352	100 kg	0,35 kg	78-88 cm	5




## **ICE GRIP**

01-2900 , 01-2901



01-2900



01-2901

 0,1 kg	01-2900	5 spikes
	01-2901	1 spike



## CUSHIONS FOR UNDERARM CRUTCHES


01-2014 , 01-2015



01-2014



01-2015



Code	Application
01-2014	For armpit
01-2015	For hand



## **FERRULES**

01-2906 , 01-2013 , 01-2010 , 01-3730



01-3730



01-2906



01-2013



01-2010

<b>Code</b>	<b>Diameter</b>
01-2906	16 mm
01-2013	18 mm
01-2010	22 mm
01-3730	24 mm



## **FERRULES**

716sw , 716bl , 716tue , 716au

716sw



716bl



716tue



716au



Code	Diameter
716sw	16 mm
716bl	16 mm
716tue	16 mm
716au	16 mm


# SYMBOLS



Maximum load



Weight



Height adjustment positions



Two in one



Tools set included



Pump included



Aluminium frame



Lightweight



Drum brakes included



Density of foam



Made of viscoelastic foam



Cover included



Composition: 50% HR foam and 50% polyester



Composition: 100% HR foam



Waterproof



Breathable



Anti-bacterial



Special medical fabric



Washable at 95°



Washable about 200 times



Product dimensions can be customized



Viscoelastic foam meets 1st class requirements of “Oeko Tex” Standard.



Pillows meet all “Ultra-Fresh” antimicrobial requirements.



**Kid-Man® UAB Kasko Group**

A. Vivulskio g. 12D  
03221 Vilnius, Lithuania  
+370 5 265 00 00  
order@kid-man.com  
www.kid-man.com



The quality management system of Kasko Group,  
UAB meets the standards ISO 9001 and ISO 14001

[www.kid-man.com](http://www.kid-man.com)

